



	Date	Customer cod	le C	
-	Invoice address	Contact perso	on	
		Reference		
		Other deliver	y address	
	Invoice address = delivery address	Quote		
	The chair will be used as seat for ca	r transport.		
		Basic pr	ice: 4.740,- €	
		Excl. VAT	,	
Seat width	D65055 550 mm D65060 600 mm	Capacity Seat height Seat depth	Max. 160 kg See page 7 425 – 500 mm adjust 25 mm per step	table
	D29488 Arm support comfort pads	(reduces SW wit	h 2 x 15 mm)	158,-€
	D28002 Seat depth adjustment			74,-€
	425 mm 450 m	m 📕 475 mm 🗌	500 mm	
= Standard eq	uipment			
Quick order			only page 1 is s	end
ltem nr.	Description		P	rice in €
Standard	Head rest A, with side support			0,-
D27574	Head rest B, small, oval			0,-
D27573	Head rest C, large, square			0,-
D27572	Head rest D, comfort (pressure d	istributive)		252,-
D82567	Headrest A with side support and	d head band		359,-
D82568	Extra comfort pads for the head	band of D82567,	pair	34,-
D22085	Drum brakes (brake handles mou	ınted on push bo	w)	263,-
D21063	Universal tray for SW 550-600 m	m	·	294,-
D21052	Upholstery for tray			126,-
D20845	Hip belt, with upholstery and car	belt lock		126,-
D21022	Easy Care cover (not available for			0,-
D21076	Configuration for car transportat D41006 Back extender 600 mm (only in Stabil cushion to receive a back cushion D21054 Vertical tube for headrest - 500	ion for users high combination with Ne height 600 mm)		588,-





	D82025 Headrest adapter in aluminium	
FRAME		
Standard Standard	Angle adjustable push bow	0,-
Standard	Anti tip, swingable	0,-
Standard Standard	User brake	0,-
D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	177,-
D28972	Anti tip with pedal, pair	210,-
D29474	Tilt-restrictor (no negative tilt frontwards)	42,-
D41074	Car fastening, pair	179,-
D28001	Frame extension including longer anti tippers	315,-
BACK UNIT (for belts	s please see page 9)	
Standard 	Back cushion Netti Uno with 100 mm side support with 3D cover	0,-
Standard Standard	Back height 500 mm (incl. adjustable velcro back)	0,-
D44993	Adjustable velcro with cut for side supports	305,-
D41006	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	233,-
D21338	Back cushion Netti Smart with 120 mm side support – 3D cover	347,-
D27374	Side support Correction with upholstery left - for Netti Uno and Smart	221,
D27375	Side support Correction right with upholstery - for Netti Uno and Smart	221,-
D21333	Back cushion Netti Stabil – with 170 mm side support - 3D cover	557,-
D21334	Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover	651,-
D26831	Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	252,-
D26844	Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	252,-
D27541	Side support upholstery Stable, pair	158,-
D27700	Firm back in aluminium, back height 500 mm	378,-
D27708	Firm back in aluminium, back height 600 mm (incl. D41006 back extender - only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	620,-
D21084	Back wedge	189,-
D21042	Lumbar support	189,-
	Libertas 15° back flexibility incl. long anti tips and frame extender (Max. user weight 135 kg, not for transport in car) D82411 80N D82412 120N D82413 160N	Price or request
THE WIC ACCE	Netti Dynamic FREE back cylinder Allows up to 40° trunk movements backwards. (Max. user weight 135 kg). The standard back recline can be locked in any position as the	Price on request





dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. frame extension D28001 and Bodypoint pelvic stabilizer 2-point belt.

For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

D82226 200N	D82227 300N	D82228 400N
D82229 500N	D82230 600N	D82231 700N
D82232 800N	D82233 900N	D82234 1000N
D82235 1100N	D82236 1200N	D82237 1300N

SEAT UNIT (for belts please see page 8)

Standard	Seat cushion Netti Uno 3D cover	0,-
D21048	Netti Dry incontinence cover for seat cushion	242,-
D21007	Pressure relief seat cushion Netti Sit – 3D cover incl. incontinence layer	399,-
D21017	Pressure relief seat cushion Netti Sit °C with temperature regulating	557,-
	features and incontinence layer under the 3D cover	
D27493	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27494	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D27495	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-

LEG SUPPORTS

For the Netti 4U CED XL you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports Manually angle adjustable leg supports with Standard 0,--automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery D32296 Extra-long knee upholstery 550 mm – 3D cover 290,-D88211 Leg support upper parts with lever instead of star wheel for angle 89,adjustment Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) 242,-D44864 M (L: 190-230 mm) 242,-D44865 (L: 220-290 mm) 252,-D44904 XL (L: 280-330 mm) 273,-





D80087		Depth adjustable hinge for footplates only (50 mm in all) – mounted	
D21008		Gas spring for angle adjustment	987,-
D21044		Foot board, adjustable (without heel strap)	326,-
D21041		Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	515,-
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D41617		Calf support upholstery extra soft - pair - 3D cover	221,-
D28453		Foot plate upholstery - pair - skai cover	305,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
Universal leg suppo	orts		·
D24005		Universal leg supports with knee angle adjustment, adjustable	137,-
		below 90° for contract leg situations with seat unit tilted when chair is pushed	
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		D44863 S (L: 170-200 mm)	242,-
		D44864 M (L: 190-230 mm)	242,-
\$. J &		D44865 L (L: 220-290 mm)	252,-
		D44904 XL (L: 280-330 mm)	273,-
D80087		Depth adjustable hinge for footplates only (50 mm in all) – mounted	504,-
D21044		Foot board, adjustable (without heel strap)	326,-
D21041		Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	515,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-
Netti Grandis angle	adju	stable leg supports	
D88600		Netti Grandis angle adjustable positioning leg supports for	1.098,-
		complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	
		The foot support is characterized by unique ergonomics and user- friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports.	
D88602		Calf support upholstery extra soft - pair – 3D or EC cover depending on the fabric for the whole chair	211,-
D88607		Knee upholstery for the upper lower leg – pair - (3D or EC cover depending on the fabric for the whole chair)	113,-





	D21745		Calf support bracket upholstery - pair - skai cover	63,-
	D88014		Foot fixation, pair incl. mounting kit	236,-
	D88603		Foot board, lockable and upwards swingable	386,-
	D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,-
	D21293		Calf strap	95,-
	D86900		Bodypoint calf strap M	181,-
	D86901		Bodypoint calf strap L	181,-
	5226		Bodypoint ankle huggers with upholstery	
			D88863 S (L: 170-200 mm)	327,-
			D88864 M (L: 190-230 mm)	327,-
4	€ ا		D88865 L (L: 220-290 mm)	337,-
500	•		D88866 XL (L: 280-330 mm)	360,-
letti Gı	andis amp	utatio	n sunnort	
	D88618		Amputation support left incl. Netti Grandis leg support right side	1.053,-
	D88619		Amputation support right incl. Netti Grandis leg support left side	1.053,-
	D800		Amputation support left + right – requires frame extension	1.468,-
			, and a second control of the second control	
letti Gı	andis leg s	uppor	t with fixed angle	
	D88612		Netti Grandis leg supports with fixed angle for complex individual	1.098,-
	A		configurations. Reduces pressure and shear forces. For users with	
	"		e.g. contractions, leg asymmetry.	
			The foot support is characterized by unique ergonomics and user-	
			friendliness due to scale displays and conical extension pieces.	
			Adjustable in a fixed angle – also below 90°. Including heel strap.	
	D88603		Foot board, lockable and upwards swingable (no heel strap)	386,-
	D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,-
L. III' B		11*		
ietti Dy	namic ang	ie adju	ustable leg supports Notti Dynamic angle adjustable leg rosts DUAL with calf supports	Price on
110			Netti Dynamic angle adjustable leg rests DUAL with calf supports and footboard, 100N.	request
# CCE	D82296		Standard adjustment piece 300 mm (lower leg length 450-550 mn	
	D82298		Adjustment piece 214 mm (lower leg length 350-450 mm)	
S			Adjustable for different thigh lengths.	The state of the s
	D82318		Standard adjustment piece 300 mm (lower leg length 450-550 mn.,	
	D82319		Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D32296		Extra-long knee upholstery 550 mm – 3D cover	290,-
	D45245		Reinforced automatic footboard lock - Not possible to combine	Price on
			with D82318/9 (extension bracket). With this lock the footboard is	request
			not angle adjustable, but this can be offered as special adaptation.	
	D88211		Leg support upper parts with lever instead of star wheel for angle	89,-
			adjustment	





	Bodypoint ankle huggers with upholstery	
	☐ D44863 S (L: 170-200 mm)	242,-
	D44864 M (L: 190-230 mm)	242,-
1-15	D44865 L (L: 220-290 mm)	252,·
	□ D44904 XL (L: 280-330 mm)	273,-
D21745	☐ Calf support bracket upholstery - pair - skai cover	63,
D41617	☐ Calf support upholstery extra soft - pair - 3D cover	221,
D86900	☐ Bodypoint calf strap M	181,
D86901	☐ Bodypoint calf strap L	181,

ARM REST AND ACCESSORIES FOR ARM REST

Standard	Arm rest height and depth adjustable, revolvable	0,-
Standard	Arm pads 385 x 58 mm	0,-
D21077	Arm pads 420 x 80 mm	126,-
D41649	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	116,-
D41650	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	137,-
D23003	Hemiplegic cushion	221,-
D29459	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-
D29460	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	336,-





NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN AND FRONT WHEELS

a. 1 1		
Standard	Main wheel 24 x 1" PU + front wheel 7" – 175 x 33 PU	0,-
D21021	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	95,-
D22007	Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU	147,-
D22011	Main wheels with suspension – Loopwheels Classic -24" pneumatic. Up to 70% less vibration. Cannot be combined with drum brakes. Max. capacity 120 kg (incl. chair und user)	2.717,-





M70315		Main wheels 12½" PU with drum brakes – frame brakes are	384,-
		delivered with the chair but are not compatible with the 12" wheels.	
		Please contact us for an offer of a frame brake option.	
		(Please note! These wheels are delivered in an extra box and are to be mounted by the dealer)	
M70316		Main wheels 16" PU with drum brakes.	384,
		(Please note! These wheels are delivered in an extra box and are to be mounted by the dealer.)	
D22009		Hand and spoke protector – transparent, pair	158,
D22013		Push rim cover, pair	126,
EAD SUPPO	RT A	ND ACCESSORIES FOR HEAD SUPPORTS (Please also see page 1)	
D82025		Head support adapter aluminium	252,
D82746		Netti Dynamic head support C incl. head support adapter in aluminium. If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.	Price o reques
D27577		Head support E with adjustable side supports	326,
D27578		Head support F with cheek support	326,
D21027		Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	95,
D21028		Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	105,
D21054		Headrest adjustment tube (vertical) + 100 mm, length 500 mm	95,
D23004		Comfort cushion for head rest type C – removable with Mars cover	189,
D23012		Easy Care cover for head rest type A, B, C – removable	95,
D23013		3D cover for head rest type A, B, C – removable	95,
D23015		Grey head rest cushion with Mars cover	242,
	<u>.</u>	[A] [B] [C]	
D45370		[A] Savant head support incl. headband, small – height 130 mm	Price o reques
		User forehead 460-560 mm User ½ circumference behind ears 150-180 mm	reques
		Inside distance along top support 300 mm, along middle support 180 mm	
		(not approved for car transport – if this is needed please order an additional Netti headrest)	
D45371		[A] Savant head support incl. headband, adult – height 150 mm	Price o
		User forehead 560-610 mm	reques
		User ½ circumference behind ears 200-300 mm	
		Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti	
		hoodrost)	

headrest)





D45373		[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375		Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price on request
D45368		[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrest. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45376		Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrest. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D89558		[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrest. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
D89559		Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrest. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price on request
ARIOUS ACC	ESSO	ORIES	
D21087		Clinic-kit (tools) for angle adjustable foot supports	126,-
D21239		Tool kit	105,-
IS-D80085		Universal device basket incl. frame extension D28001	Price on
		SW 450: W: 405 mm, D: 305, H: 70 mm	request
XX ***		(for other seat widths please subtract or add from SW 450 mm)	
		Max. capacity 6 kg / Combination with 12+16" wheels only in	
		special adaptation. For information concerning car transport, please see the user manual of the device basket on our website.	
D41987		Intravenous rack	336,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit [A] [B] [C] [E] D86282 Belt bracket kit – seat [A] 109,-D20845 Hip belt, with upholstery and car belt lock [B] 126,-Bodypoint 2-point pelvic stabiliser for SW 550-650 mm (overall D45276 368,pad length: 820 mm) incl. mounting kit [A+C] D60001 Abduction belt [D] 557,-Bodypoint supportive universal elastic strap [E] 189,-S (Height 80 mm - 1420 mm long, easily cut-to-length) D45084





D45085	L (Height 110 mm - 1420 mm long, easily cut-to-length)
D45086	XL (Height 150 mm - 1420 mm long, easily cut-to-length)

Belts and accessories for back unit



NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)



Α	В	С	
	Reinforced foot board in aluminium (A)	
	Extra-long calf supports (please state	length) (B)	
	Calf support upholstery in special len	gth or material	
	Back cushion with special side suppor	t (C)	
	Footboard that swings horizontally fo	rwards	
	Sliding seat (for positioning and trans	fer)	
	Comfort seat plate		
	One hand brake (please state which s	ide)	






Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:					

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.





Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.


TECHNICAL DATA

Tilt (seat)	-5° to +20°	
Recline (back)	92° to 137°	
Total width of the wheelchair	Seat width + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)	
Total length	1020 mm with leg rests	
Total height	1050 mm	
Distance arm support to seat plate	Min. 265 mm / max. 355 mm	
Weight of wheelchair	App. 30 kg (without cushion)	
Frame colour	Grey	
Cover variants	variants 3D Cover (optional Easy Care cover with D21022)	
Crash test	ISO 7176-19 (136 kg)	
	·	






Seat height – WITHOUT seat cushion (measured from floor to seat plate)



Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm