



	Date Customer co	ode C
	Invoice address Contact pers	son
	Reference _	
	Other delive	ry address
	☐ Invoice address = delivery address ☐ Quote	
	The chair will be used as seat for car transport.	
	Basic pri	ce: 3.320,- € Excl. VAT
Seat width:	Seat depth adjustable from 425-500 mm         Seat depth adjustable from 425-500 mm         Seat depth adjustable from 425-500 mm           D65035         □ 350 mm         □ 65035           D65040         □ 400 mm         □ 065040	nort seat depth/capacity 130 kg) oth adjustable from 375-450 mm S
		oth adjustment D28002 74,-  ☐ 400 ■ 425 ☐ 450
	D65043  ☐ 430 mm	ght See page 13
	D65045	oth Adjustable in 25 mm steps
	D65050 🗖 500 mm	
	Seat depth adjustment D28002 74,- ☐ 425 ☐ 450 ■ 475 ☐ 500	
D	29488 Arm support comfort pads (reduces SW wit	:h 2 x 15 mm) 158,-
D	83937 SW extension kit mounted 2 x 12 mm – onl	y for SW 350-450 mm 167,-
= Standard equip	oment	
Quick order		only page 1 is send
Item nr.	Description	Price in €
Standard	Head support A, with side support	0,-
D27574	Head support B, small, oval	0,-
D27573	Head support C, large, square	0,-
D22085	Drum brakes (brake handles mounted on push	bow) 263,-
D25059	Universal tray	236,-
D21052	Upholstery for tray	126,-
D20845	Hip belt, with upholstery and car belt lock	126,-





D21022	Easy Care cover (not available for Netti Sit °C or Ride cushion)	C
D21076	Configuration for car transportation for users higher than 185 cm incl.:	588
	D41006 Back extender 600 mm (only in combination with Netti	
	Smart, Stabil or Super Stabil cushion to receive a back cushion height	
	600 mm)	
	D21054 Vertical tube for headrest - 500 mm	
	D82025 Headrest adapter in aluminium	
E		
Standard	Angle adjustable push bow	0,-
Standard	Anti tip, swingable	0,-
Standard	User brake	0,-
D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	177,-
D21755	Push handles 300 mm, height adjustable and swingable (please	252,-
	note: the armrests will then not be revolvable)	
D28972	Anti tip with pedal, pair	210,-
D29474	Tilt-restrictor (no negative tilt frontwards)	42,-
D41074	Car fastening, pair	179,-
	cai rasterning, pan	,
D28001	Frame extension including longer anti tippers	315,-
UNIT (for beli	Frame extension including longer anti tippers s please see page 11)	315,-
UNIT (for beli	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover	315,-
UNIT (for belication of the standard st	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover  Back height 500 mm (incl. adjustable velcro back)	0,- 0,-
UNIT (for belication of the standard st	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover  Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil	315,- 0,- 0,-
UNIT (for belf Standard Standard D41006	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover  Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	0,- 0,- 233,-
UNIT (for belte Standard Standard D41006 D44992	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover  Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)  Adjustable velcro with cut for side supports	0,- 0,- 233,- 263,-
Standard Standard D41006 D44992 D21338	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)  Adjustable velcro with cut for side supports  Back cushion Netti Smart – with 120 mm side support – 3D cover  Side support Correction with upholstery left – for Netti Uno and	0,- 0,- 233,- 263,- 347,-
Standard Standard D41006 D44992 D21338 D27374	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)  Adjustable velcro with cut for side supports  Back cushion Netti Smart – with 120 mm side support – 3D cover  Side support Correction with upholstery left – for Netti Uno and Smart  Side support Correction with upholstery right – for Netti Uno and	0,- 0,- 233,- 263,- 347,- 221,-
Standard Standard D41006 D44992 D21338 D27374 D27375	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)  Adjustable velcro with cut for side supports  Back cushion Netti Smart – with 120 mm side support – 3D cover  Side support Correction with upholstery left – for Netti Uno and Smart  Side support Correction with upholstery right – for Netti Uno and Smart	0,- 0,- 233,- 263,- 347,- 221,-
D41992 D21338 D27374 D21333	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover  Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)  Adjustable velcro with cut for side supports  Back cushion Netti Smart – with 120 mm side support – 3D cover  Side support Correction with upholstery left – for Netti Uno and Smart  Side support Correction with upholstery right – for Netti Uno and Smart  Back cushion Netti Stabil – with 170 mm side support - 3D cover  Back cushion Netti Stabil – with 170 mm reinforced side	0,- 0,- 233,- 263,- 347,- 221,- 557,-
D41992 D21338 D27374  D21333 D21334	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover  Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)  Adjustable velcro with cut for side supports  Back cushion Netti Smart – with 120 mm side support – 3D cover  Side support Correction with upholstery left – for Netti Uno and Smart  Side support Correction with upholstery right – for Netti Uno and Smart  Back cushion Netti Stabil – with 170 mm side support - 3D cover  Back cushion Netti Stabil – with 170 mm reinforced side support - 3D cover	0,- 0,- 233,- 263,- 347,- 221,- 557,- 651,-
D41992 D21338 D27374  D21333 D21334	Frame extension including longer anti tippers  splease see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)  Adjustable velcro with cut for side supports  Back cushion Netti Smart – with 120 mm side support – 3D cover  Side support Correction with upholstery left – for Netti Uno and Smart  Side support Correction with upholstery right – for Netti Uno and Smart  Back cushion Netti Stabil – with 170 mm side support - 3D cover  Back cushion Netti Super Stabil – with 170 mm reinforced side support - 3D cover  Back cushion Netti Kyphotic - 3D/Mars cover - only back height 500 mm  Ride Designs Back solution (See separate order form)	0,- 0,- 233,- 263,- 347,- 221,- 557,- 651,-
DA1006  D44992 D21338 D27374  D27375  D21333 D21334  D20630	Frame extension including longer anti tippers  s please see page 11)  Back cushion Netti Uno – with 100 mm side support with 3D cover Back height 500 mm (incl. adjustable velcro back)  Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)  Adjustable velcro with cut for side supports  Back cushion Netti Smart – with 120 mm side support – 3D cover  Side support Correction with upholstery left – for Netti Uno and Smart  Side support Correction with upholstery right – for Netti Uno and Smart  Back cushion Netti Stabil – with 170 mm side support - 3D cover  Back cushion Netti Stabil – with 170 mm reinforced side support - 3D cover  Back cushion Netti Stabil – with 170 mm reinforced side support - 3D cover  Back cushion Netti Kyphotic - 3D/Mars cover - only back height 500 mm  Ride Designs Back solution (See separate order form)  Article number: / Accessories:  Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic	315,-  0,- 0,- 233,- 263,- 347,- 221,- 557,- 651,- 746,-





D27541	S	de support upholstery Stable, pair	158,-
D27700		rm back in aluminium, back height 500 mm	378,-
D27708	F e	rm back in aluminium, back height 600 mm (incl. D41006 back ktender - only in combination with Netti Smart, Stabil or Super tabil cushion to receive a back cushion height 600 mm)	620,-
D21084		ack wedge	189,-
D21042	=-	umbar support	189,-
THE POST OF THE PO	N A (() a a a D S i h u D D D D D D D	etti Dynamic FREE back spring  llows up to 40° trunk movements backwards. Max. user weight 135 kg CEDS: 130 kg). The standard back recline can be locked in any position is the dynamic movement is blocked simultaneously, which can be oppropriate during transport or positioning. Incl. frame extension 28001 and Bodypoint Evoflex pelvic stabilizer 2-point belt:    The property of the	Price on request
D87903	D R	ynamic CED order form.  ecline limiter (possible to limit in different positions from 116° - 34°) for the Netti Dynamic Free back spring (to be mounted by the	Price on request
	d Li	bertas 15° back flexibility incl. long anti tips and frame extender lax. user weight 135 kg (CEDS: 130 kg), not for transport in car.  D82411 80N D82412 120N D82413 160N	Price on request
R <sub>1</sub> D <sub>1</sub>		NEW: Advanced seating and positioning management: Ride Designs – solutions (and back) for an even more stable poste even more mobility/ functionality and a immense improved skin protection (decoprophylaxis). Please see separate order	ure, n ubitus

# **SEAT UNIT** (for belts please see page 10)

Standard <b>III</b>	Seat cushion Netti Uno – 3D cover	0,-
D21048	Incontinence cover for seat cushion	242,-





D21007	Pressure relief seat cushion Netti Sit – 3D cover incl. incontinence layer	399,-
D21017	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	557,-
	Ride Designs Seat cushion (See separate order form)  Article number: / Accessories:	_
D27493	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D27494	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D27495	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-

### **LEG SUPPORTS**

For the Netti 4U CED you have 5 different types of leg supports with various accessories. Please contact us for consultation.

for consultation.			
Manually angle adj	ustab	le leg supports	
Standard		Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
D32296		Extra-long knee upholstery 550 mm – 3D cover	290,-
D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	89,-
		Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	242,- 242,- 252,- 273,-
D80087		Depth adjustable hinge for footplates only (50 mm in all) – mounted	504,-
D21008		Gas spring for angle adjustment	987,-
D21081		Extra Abduction (+50 mm), not for SW 430 mm – adjustment of calf supports is limited (not approved for car transport – if needed, please contact customer service)	431,-
D21044		Foot board, adjustable	326,-
D21041		Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	515,-
D21745		Calf support bracket upholstery - pair - skai cover	63,-
D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D28453		Foot plate upholstery - pair - skai cover	305,-
D86900		Bodypoint calf strap M	181,-
D86901		Bodypoint calf strap L	181,-





t, adjustable t tilted when unting kit n in all) – oort, if this is ch is approved)	242 242 252 273 504 326 515 181
ort, if this is	242 252 273 504 326 515
oort, if this is ch is approved)	242 252 273 504 326 515
oort, if this is ch is approved)	252 273 504 326 515
oort, if this is ch is approved)	273 504 326 515 181
oort, if this is ch is approved)	504 326 515 181
oort, if this is ch is approved)	326 515 181
ch is approved)	515 181
ch is approved)	181
	181
oports for Ire and shear netry,	1.098
omics and user- nd conical er and adjustable	
djustment of the transport – if	419
cover depending	211
cover depending	113
	63
	236
	386
or car transpart)	728
JE CAL HANSDOM	
or car transport)	0.5
or car transport)	95
or car transport)	95 327
	nd conical er and adjustable djustment of the transport – if cover depending





		_		
			D88865 L (L: 220-290 mm)	337,-
	Dacada		D88866 XL (L: 280-330 mm)	360,-
	D86900		Bodypoint calf strap M	181,-
	D86901		Bodypoint calf strap L	181,-
letti G	randis ampu	ıtatio	• •	,
	D88618		Amputation support left incl. Netti Grandis leg support right side	1.053,
	D88619		Amputation support right incl. Netti Grandis leg support left side	1.053,
	D800		Amputation support left + right – requires frame extension	1.468,
Netti G	randis leg su	ıppor	t with fixed angle	
	D88612		Netti Grandis leg supports with fixed angle for complex individual	1.098,
			configurations. Reduces pressure and shear forces. For users with	
	17		e.g. contractions, leg asymmetry.	
			The foot support is characterized by unique ergonomics and user-	
			friendliness due to scale displays and conical extension pieces.	
			Adjustable in a fixed angle – also below 90°. Including heel strap.	
	D88608		Extra Abduction (+50 mm), not for SW 430 mm. Not approved for	419,
			car transport – if needed, please contact customer service.	
	D88603		Foot board, lockable and upwards swingable (without heel strap)	386,
	D88605		Footbox, upholstered with Skai cover (approved for car transport)	728,
Netti D	ynamic angl	e adju	ustable leg supports	
AMIC ACC			<b>Netti Dynamic angle adjustable leg rests</b> DUAL with calf supports and footboard, 100N.	Price or request
So	D82296		Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
O S E	D82298		Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D82318		Adjustable for different thigh lengths:	
	D82319		Standard adjustment piece 300 mm (lower leg length 450-550 mm)	
			Adjustment piece 214 mm (lower leg length 350-450 mm)	
	D32296		Extra-long knee upholstery 550 mm – 3D cover	290,
	D45245		Reinforced automatic footboard lock - Not possible to combine	Price or
			with D82318/9 (extension bracket). With this lock the footboard is	reques
			not angle adjustable, but this can be offered as special adaptation.	
	D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	89,
			Bodypoint ankle huggers with upholstery	
	14/1		D44863 S (L: 170-200 mm)	242,
	4 1/4		D44864 M (L: 190-230 mm)	242,-
			D44865 L (L: 220-290 mm)	252,
			D44904 XL (L: 280-330 mm)	273,





D21081	Extra abduction for leg rests (+50 mm) not for SW 430 mm - adjustment of the calf supports will be limited. Not approved for car transport – if needed, please contact customer service.	431,-
D21745	Calf support bracket upholstery - pair - skai cover	63,-
D41617	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	221,-
D86900	Bodypoint calf strap M	181,-
D86901	Bodypoint calf strap L	181,-

### ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	Arm supports height and depth adjustable, revolvable	0,-
Standard	Arm pads 385 x 58 mm	0,-
D21077	Arm pads 420 x 80 mm	126,-
D41649	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/lockable tray together with tray spacers)	116,-
D41650	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/lockable tray together with tray spacers)	137,-
D23003	Hemiplegic cushion	221,-
D29459	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	336,-
D29460	Arm support hemiplegic right (can only be combined with a tray in special adaptation)	336,-





#### **NEW:**

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

#### MAIN AND FRONT WHEELS

Standard <b></b>	24 x 1" PU + 7" 175 x 33 PU	0,-
D22007	Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU	147,-
D21021	Front wheels: 7" – 175 x 45 PU wheel - puncture proof - with PU infill (necessary for supportive engines)	95,-
D22011	Main wheels with suspension – Loopwheels Classic -24" pneumatic. Up to 70% less vibration. Cannot be combined with drum brakes. Max. capacity 120 kg (incl. chair und user)	2.717,-





D20834	One hand drive for 24" wheels PU – left Cannot be combined with drum brakes.	1.239,-
D20836	One hand drive for 24" wheels PU – right Cannot be combined with drum brakes.	1.239,-
D20837	One hand drive for 22" wheels PU – left Cannot be combined with drum brakes. With 7" front wheels - only SH 465 mm possible	1.239,-
D20838	One hand drive for 22" wheels PU – right Cannot be combined with drum brakes. With 7" front wheels - only SH 465 mm possible	1.239,-
M70315	Main wheels 12½" PU with drum brakes – frame brakes are delivered with the chair but are not compatible with the 12" wheels. Please contact us for an offer of a frame brake option. (Please note! These wheels are delivered in an extra box and are to be mounted by the dealer.)	384,-
M70316	Main wheels 16" PU with drum brakes. (Please note! These wheels are delivered in an extra box and are to be mounted by the dealer.)	384,-
D22009	Hand and spoke protector - transparent, pair (not for Loopwheels and one hand drive)	158,-
D22013	Push rim cover, pair	126,-


# HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please also see page 1)



	Α	В	С	D	Ε	F
D82025	Head support ada	pter aluminium				252,-
D82567	Head support A w	ith head band				359,-
D82568	Extra comfort pad	ls for the head b	and of D82567	7, pair		34,-
D82746	Netti Dynamic head support C incl. head support adapter in aluminium —If combined with other options, please send us a request, as some solutions are only possible as special adaptations.  For more information, feel free to contact us.		Price on request			
D27572	Head support D, c	omfort (pressur	e distributive)			252,-
D27577	Head support E w	ith adjustable si	de supports			326,-
D27578	Head support F w	ith cheek suppo	rt			326,-
D21027	Head support adju	ustment tube (h	orizontal) + 10	0 mm, length 2	50 mm	95,-
D21028	Head support adju	ustment tube (h	orizontal) + 23	0 mm, length 3	80 mm	105,-
D21054	Head support adju	ustment tube (ve	ertical) + 100 r	nm, length 500	mm	95,-
D23004	Comfort cushion f	or head support	type C – remo	ovable with Mai	rs cover	189,-
D23012	Easy Care cover fo	or head support	type A, B, C –	removable		95,-
D23013	3D cover for head	support type A	B, C – remova	ible		95,-
D23015	Grey head suppor	t cushion with N	lars cover			242,-











IS-D80085	Universal device basket incl. frame extension D28001	Price on
	SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg / Combination with 12+16" wheels only in special adaptation.	request
	For information concerning car transport, please see the user manual of the device basket on our website.	
D41987	Intravenous rack	336,-

#### **BELT OPTIONS FROM BODYPOINT AND NETTI**

#### Belts and accessories for seat unit



#### Belts and accessories for back unit







D86890	H-harness adaptor kit (recommended for all upper body harnesses) [A]	278,-
D20881	H-belt, with upholstery and car belt lock [B]	263,-
D41645	Belt cross harness [C]	200,-
	Bodypoint Stayflex chest support without zipper [D]	274,-
D89805	XS (Shoulder width 240-280 mm)	
D89898	S (Shoulder width 380-330 mm)	
D86895	M (Shoulder width 330-410 mm)	
D86896	L (Shoulder width 410-480 mm)	
	Bodypoint Pivofit shoulder harness [E]	274,-
D89802	XS (Shoulder width 240-280 mm)	
D89803	S (Shoulder width 380-330 mm)	
D86898	M (Shoulder width 330-410 mm)	
D86899	L (Shoulder width 410-480 mm)	

#### **NETTI CUSTOMIZED**

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

# **CUSTOM MADE** – most wanted special adapted items (price on request)



Α	В	С
	Reinforced foot board in aluminium (A)	
	Extra-long calf supports (please state length) (B)	
	Calf support upholstery in special length or material	
	Back cushion with special side support (C)	
	Footboard that swings horizontally forwards	
	Sliding seat (for positioning and transfer)	
	Comfort seat plate	
	One hand brake (please state which side)	
	Seat width extension for SW 500 mm	

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.






User weight:						

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.





Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width \_\_\_\_\_ mm and length \_\_\_\_ mm of the chair.


## **TECHNICAL DATA**

I LOTHING IL DI III I	
Tilt (seat)	-5° to +20°
Recline (back)	92° to 137°
Total width of the wheelchair	Seat width + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)/ Loopwheels will extend the total width with extra 24-30 mm
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seat plate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 30 kg (without cushions)
Frame colour	Grey
Cover variant	3D cover (optional Easy Care cover with D21022)
Crash test	ISO 7176-19 (CEDS: 130kg / CED: 136 kg)
	<u> </u>






# Seat height – WITHOUT seat cushion (measured from floor to seat plate)



Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



#### Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm