



Date _____ Customer code C- _____
 Invoice address _____ Contact person _____
 _____ Reference _____
 _____ Other delivery address _____

☐ Invoice address = delivery address ☐ Quote

☐ The chair will be used as seat for car transport

Seat width	D53535	<input type="checkbox"/>	350 mm (delivered in seat depth 400 mm)	Price on request
	D53540	<input type="checkbox"/>	400 mm (delivered in seat depth 400 mm)	
	D53545	<input type="checkbox"/>	450 mm (delivered in seat depth 475 mm)	
	D53550	<input type="checkbox"/>	500 mm (delivered in seat depth 500 mm)	

Seat width (adjustable + 12,5/25 mm per side)

Seat depth (stepless adjustable 375 – 550 mm)

Seat height (stepless adjustable 70-100 mm /see page 8)



***Netti V All-round configuration with tilt handle under armrest (tilt limited to -3 to +20°) and universal leg supports** Price on request
☐ right side D55020 ☐ left side D55021

Seat depth adjusted by Netti (seat cushions are delivered in best fitting possible size):
☐ 375 ☐ 400 ☐ 425 ☐ 450 ☐ 475 ☐ 500 ☐ 525 ☐ 550 99,- €

D22149 ☐ Side and comfort upholstery (reduces SW with 2 x 25 mm) 140,- €

 = Standard equipment

FRAME

Item nr.	Description	Price in €
Standard 	Push handles 300 mm, height adjustable and swingable	0,-
Standard 	Pedal for overcoming obstacles, right side	0,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 1 of 14

*option available in Q1 2024 | Version 2023-11

Standard	<input checked="" type="checkbox"/>	Anti-tippers, swingable and foot-operated	0,-
D53203*	<input type="checkbox"/>	Car fasteners	175,-
D21808	<input type="checkbox"/>	Push handles 500 mm, height adjustable and swingable	200,-
D81740	<input type="checkbox"/>	Push bow – height and angle adjustable	360,-
D53032*	<input type="checkbox"/>	Gas spring limiter and lock for tilt	357,-
D53033*	<input type="checkbox"/>	Gas spring limiter and lock for recline	357,-
D21022	<input type="checkbox"/>	Easy Care cover for seat and back, washable (not available for Netti Sit °C, Kyphotic and Ride cushion)	0,-

SOLUTIONS FOR RESPIRATION MACHINES AND OTHER MEDICAL DEVICES

D51186*	<input type="checkbox"/>	Universal device holder* Only for seat widths 400 / 450 / 500 mm Please contact us for a quote on other seat widths. D: 348 mm / W: SW minus 36 mm / Max. capacity 10kg For information concerning car transport, please see the user manual of the device holder on our website.	1890,-
D51187*	<input type="checkbox"/>	Cover plate for universal device – add. Level* Only for seat widths 400 / 450 / 500 mm Please contact us for a quote on other seat widths. D: 193 mm / W: SW minus 37 mm / H (free area): 237 mm	504,-
D42900*	<input type="checkbox"/>	Extra set of 4 mounting brackets, incl. screws	250,-

BRAKES

Standard	<input checked="" type="checkbox"/>	User brake – allows for easy side transfer and hand propelling	0,-
D53010	<input type="checkbox"/>	Drum brakes for attendant incl. 2-in-1 handle for both recline/tilt and drum brake	263,-
D57282*	<input type="checkbox"/>	One-hand brake right	378,-
D57283*	<input type="checkbox"/>	One-hand brake left	378,-

BACK UNIT (for belts please see page 12)

Standard	<input checked="" type="checkbox"/>	Back cushion Netti Uno - side support 100 mm - 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Back height 500 mm (incl. fixed backrest cover)	0,-
Standard	<input checked="" type="checkbox"/>	2 x 25 mm width adjustment (*only with adjustable velcro D21137)	0,-
Standard	<input checked="" type="checkbox"/>	Back tubes adjustable for V+A+H back shape (*only with adjustable velcro D21137)	0,-
D41006*	<input type="checkbox"/>	Back extender 600 mm (only in combination with Netti Smart, Stabil or Super Stabil cushion to receive a back cushion height 600 mm)	233,-
D21137	<input type="checkbox"/>	Adjustable velcro back with straps	294,-
D27376*	<input type="checkbox"/>	Side support correction with upholstery left – for Netti Smart	210,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 2 of 14

*option available in Q1 2024 | Version 2023-11

D27378*	<input type="checkbox"/>	Side support correction with upholstery right – for Netti Smart	210,-
D21338	<input type="checkbox"/>	Back cushion Netti Smart – with 120 mm side support with 3D cover	347,-
D21335	<input type="checkbox"/>	Back cushion Netti Stabil - with 170 mm side support with 3D cover	557,-
D21336	<input type="checkbox"/>	Back cushion Netti Super Stabil – with 170 mm reinforced side support, 3D cover	651,-
D20630	<input type="checkbox"/>	Back cushion Netti Kyphotic – 3D/Mars cover – only back height 500 mm and SW 350/400/450/500 mm and only in combination with velcro back with straps D21137)	710,-
D26830*	<input type="checkbox"/>	Side support stable left – for Netti Stabil, Super Stabil & Kyphotic	240,-
D26843*	<input type="checkbox"/>	Side support stable right – for Netti Stabil, Super Stabil & Kyphotic	240,-
D27541	<input type="checkbox"/>	Upholstery for side support stable, pair	150,-
D27700*	<input type="checkbox"/>	Firm back in aluminium, back height 500 mm	378,-
D27708*	<input type="checkbox"/>	Firm back in aluminium, back height 600 mm, incl. D41006	620,-
D21042	<input type="checkbox"/>	Lumbar support	180,-
D21084	<input type="checkbox"/>	Back wedge	180,-



Netti Dynamic FREE back cylinder

Allows up to 40° trunk movements backwards. The standard back recline can be locked in any position as the dynamic movement is blocked simultaneously, which can be appropriate during transport or positioning. Incl. Bodypoint Evoflex pelvic stabilizer 2-point belt:

Size XS ☐ M ☐ L ☐

Price on request

For more information and choice of gas spring, feel free to contact us or have a look at our website. If combined with other options, please send us a request as some solutions are only possible as special adaptations.

- ☐ D52231* 300N
- ☐ D52232* 450N
- ☐ D52233* 600N
- ☐ D52234* 750N

For Netti Dynamic System with dynamic seat unit, please see our complete Netti Dynamic chairs.

SEAT UNIT (for belts please see page 11)




Standard	<input checked="" type="checkbox"/>	Seat cushion Netti Uno – 3D cover	0,-
Standard	<input checked="" type="checkbox"/>	Firm seat plate – adjustable in depth 400-550 mm	0,-
Standard	<input checked="" type="checkbox"/>	2 x 25 mm width adjustment	0,-
D21048	<input type="checkbox"/>	Incontinence cover for seat cushion	230,-
D21007	<input type="checkbox"/>	Netti Sit - Pressure relief seat cushion with incontinence layer under the 3D cover	380,-

D21017	<input type="checkbox"/>	Netti Sit °C - Pressure relief seat cushion with temperature regulating features and 3D cover	530,-
	<input type="checkbox"/>	Ride Designs Seat cushion (See separate order form) Article number: _____ / Accessories: _____	
D53490*	<input type="checkbox"/>	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	263,-
D53491*	<input type="checkbox"/>	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	263,-
D53492*	<input type="checkbox"/>	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	263,-
D50830*	<input type="checkbox"/>	Removable and depth adjustable knee and thigh support, right	210,-
D50831*	<input type="checkbox"/>	Removable and depth adjustable knee and thigh support, left	210,-

LEG SUPPORTS

For the Netti V you have 6 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports

Standard		<input checked="" type="checkbox"/> Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery -reinforced extension pieces	0,-
Standard		Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-
D88211	<input type="checkbox"/>	Leg support upper parts with lever instead of star wheel for angle adjustment	85,-
D32296	<input type="checkbox"/>	Extra-long knee upholstery 550 mm – 3D cover	290,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	230,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	230,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	240,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	260,-
D80087	<input type="checkbox"/>	Depth adjustable hinge for footplates (50 mm in all) – mounted	480,-
D21008	<input type="checkbox"/>	Gas spring	940,-
D21044	<input type="checkbox"/>	Foot board, adjustable	310,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	490,-
D24000	<input type="checkbox"/>	Calf support, swingable, pair	180,-
D21745	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	60,-
D41617	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	210,-


NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 4 of 14


*option available in Q1 2024 | Version 2023-11

D28453	<input type="checkbox"/>	Foot plate upholstery - pair - skai cover	290,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	172,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	172,-

Universal leg supports

D24006	<input type="checkbox"/>	Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed. Without calf supports.	137,-
	Standard	<input checked="" type="checkbox"/> Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
	<input type="checkbox"/>	D44863 S (L: 170-200 mm)	230,-
	<input type="checkbox"/>	D44864 M (L: 190-230 mm)	230,-
	<input type="checkbox"/>	D44865 L (L: 220-290 mm)	240,-
	<input type="checkbox"/>	D44904 XL (L: 280-330 mm)	260,-
D80087	<input type="checkbox"/>	Depth adjustable hinge for footplates (50 mm in all) – mounted	480,-
D21044	<input type="checkbox"/>	Foot board, adjustable, no heel strap	310,-
D21041	<input type="checkbox"/>	Foot box upholstered (not approved for car transport, if this is needed, please use the Netti Grandis solution which is approved)	490,-
D86900	<input type="checkbox"/>	Bodypoint calf strap M	172,-
D86901	<input type="checkbox"/>	Bodypoint calf strap L	172,-


Netti Grandis angle adjustable leg support

D88600*	<input type="checkbox"/>	Netti Grandis angle adjustable positioning leg supports for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis.	1.098,-
		The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot plates.	
	Standard	<input checked="" type="checkbox"/> Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-
D88602*	<input type="checkbox"/>	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	201,-
D88607*	<input type="checkbox"/>	Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair)	108,-
D21745*	<input type="checkbox"/>	Calf support bracket upholstery - pair - skai cover	60,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 5 of 14


*option available in Q1 2024 | Version 2023-11

D88014*	<input type="checkbox"/>	Foot fixation, pair incl. mounting kit	225,-
D88603*	<input type="checkbox"/>	Foot board, lockable and upwards swingable	368,-
D88605*	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	693,-
D21293*	<input type="checkbox"/>	Calf strap	90,-
D86900*	<input type="checkbox"/>	Bodypoint calf strap M	172,-
D86901*	<input type="checkbox"/>	Bodypoint calf strap L	172,-
		Bodypoint ankle huggers with upholstery	
	<input type="checkbox"/>	D88863* S (L: 170-200 mm)	311,-
	<input type="checkbox"/>	D88864* M (L: 190-230 mm)	311,-
	<input type="checkbox"/>	D88865* L (L: 220-290 mm)	321,-
	<input type="checkbox"/>	D88866* XL (L: 280-330 mm)	343,-

Netti Grandis amputation support

D88618*	<input type="checkbox"/>	Amputation support left incl. Netti Grandis leg support right side	1.053,-
D88619*	<input type="checkbox"/>	Amputation support right incl. Netti Grandis leg support left side	1.053,-
D800*	<input type="checkbox"/>	Amputation support left + right	1.468,-

Netti Grandis leg support with fixed angle




D88612*	<input type="checkbox"/>	Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.	1.098,-
 <p>The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap.</p>			
Standard	<input type="checkbox"/>	Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-
D88603*	<input type="checkbox"/>	Foot board, lockable and upwards swingable	368,-
D88605*	<input type="checkbox"/>	Footbox, upholstered with Skai cover (approved for car transport)	693,-

Netti Dynamic angle adjustable leg rests






Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.			Price on request
D82296	<input type="checkbox"/>	Adjustment piece 300 mm (lower leg length 450-550 mm)	
D82298	<input type="checkbox"/>	Adjustment piece 214 mm (lower leg length 350-450 mm)	



		Netti Dynamic angle adjustable leg rests with calf supports and footboard, 100N.	Price on request
		<u>Adjustable for different thigh lengths:</u>	
	D82318	<input type="checkbox"/> Adjustment piece 300 mm (lower leg length 450-550 mm)	
	D82319	<input type="checkbox"/> Adjustment piece 214 mm (lower leg length 350-450 mm)	
	Standard	 Up to 2x25 mm width adjustment – stepless adjustable (footplates will by 2 x 12,5 mm have a gap, footboard and footbox only special adaptation)	0,-
	D32296	<input type="checkbox"/> Extra-long knee upholstery 550 mm – 3D cover	290,-
	D45245	<input type="checkbox"/> Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
	D88211	<input type="checkbox"/> Leg support upper parts with lever instead of star wheel for angle adjustment	85,-
		Bodypoint ankle huggers with upholstery	
		<input type="checkbox"/> D44863 S (L: 170-200 mm)	230,-
		<input type="checkbox"/> D44864 M (L: 190-230 mm)	230,-
		<input type="checkbox"/> D44865 L (L: 220-290 mm)	240,-
		<input type="checkbox"/> D44904 XL (L: 280-330 mm)	260,-
	D21745	<input type="checkbox"/> Calf support bracket upholstery - pair - skai cover	60,-
	D41617	<input type="checkbox"/> Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair (SW 550 mm only 3D)	210,-
	D86900	<input type="checkbox"/> Bodypoint calf strap M	172,-
	D86901	<input type="checkbox"/> Bodypoint calf strap L	172,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard		Arm supports height and depth adjustable	0,-
Standard		Arm pads 385 x 58 mm	0,-
Standard		Arm rest sideways 2 x 12,5/25 mm adjustable	0,-
D21077	<input type="checkbox"/>	Arm pads 420 x 80 mm	120,-
D21078	<input type="checkbox"/>	Arm pads 445 x 70 mm	120,-
D21079	<input type="checkbox"/>	Arm pads 525 x 80 mm	120,-
D41649	<input type="checkbox"/>	Standard arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	110,-
D41650	<input type="checkbox"/>	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (can only be combined with a swingable/ lockable tray together with tray spacers)	130,-
D23003	<input type="checkbox"/>	Hemiplegic cushion	210,-
D22185*	<input type="checkbox"/>	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	320,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
 DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 7 of 14

*option available in Q1 2024 | Version 2023-11

D22186*	<input type="checkbox"/>	Arm support hemiplegic left (can only be combined with a tray in special adaptation)	320,-
---------	--------------------------	--	-------

FRONT AND MAIN WHEEL

Standard	<input checked="" type="checkbox"/>	Main wheel: 24 x 1" PU – steel – grey version – black hub	0,-
Standard	<input checked="" type="checkbox"/>	Front wheel: 7" – 175 x 33 PU – grey version	0,-
Standard	<input checked="" type="checkbox"/>	Chair delivered in seat height 463 mm (floor to seatplate)	0,-
Standard	<input checked="" type="checkbox"/>	Seat height stepless adjustable from 386 – 486 mm (70 mm seat height adjustment through patent pending adjustment bracket – extra 30 mm by changing wheel position)	0,-
D22006	<input type="checkbox"/>	Main wheels wide: 1 3/8 PU infill – aluminium – grey	74,-
D22008	<input type="checkbox"/>	Main wheels wide and pneumatic: only 24 x 1 3/8 pneumatic – aluminium – grey	74,-
D21021	<input type="checkbox"/>	7" 175 x 45 mm PU – grey	95,-
D21012	<input type="checkbox"/>	7" 175 x 45 mm pneumatic – grey	95,-
D52035*	<input type="checkbox"/>	16" drum brake main wheels + 7" front wheels - PU grey Seat height stepless adjustable from 386 – 456 mm by dealer	389,-
D52002*	<input type="checkbox"/>	20" main wheels + 5" front wheels – PU grey – black hub Seat height stepless adjustable from 345 – 445 mm by dealer	253,-
D52007*	<input type="checkbox"/>	22" main wheels + 7" front wheels – PU grey – black hub Seat height stepless adjustable from 390 – 460 mm by dealer	147,-
D52009*	<input type="checkbox"/>	24" main wheels + 8" front wheels – PU grey – black hub Seat height stepless adjustable from 385 – 485 mm by dealer	95,-
D52010*	<input type="checkbox"/>	26" main wheels + 8" front wheels – PU grey – black hub Seat height stepless adjustable from 414 – 514 mm by dealer	248,-
D20831	<input type="checkbox"/>	Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – left In combination with 7" front wheel – for SW 550 mm only as special adaptation	1800,-
D20832	<input type="checkbox"/>	Main wheel w/one hand drive (24x1 3/8 Drum brake grey) – right In combination with 7" front wheel – for SW 550 mm only as special adaptation	1800,-
D22009	<input type="checkbox"/>	Hand and spoke protector, transparent, pair	150,-
D22013	<input type="checkbox"/>	Push rim cover, pair	120,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS



	A	B	C	D	E	F
Standard	<input checked="" type="checkbox"/>					
	Head support adapter adjustable to the side					0,-
D20575	<input type="checkbox"/>					
	Head support A, with side support					230,-
D82566	<input type="checkbox"/>					
	Head support A with side support and head band					342,-
D82568	<input type="checkbox"/>					
	Extra comfort pads for the head band of D82566, pair					32,-
D20574	<input type="checkbox"/>					
	Head support B, small, oval					230,-
D20573	<input type="checkbox"/>					
	Head support C, large, square					230,-
D53746	<input type="checkbox"/>					
	Netti Dynamic head support C– If combined with other options, please send us a request, as some solutions are only possible as special adaptations. For more information, feel free to contact us.					Price on request
D20576	<input type="checkbox"/>					
	Head support D, comfort (pressure distributive)					290,-
D27575	<input type="checkbox"/>					
	Head support E with adjustable side supports					350,-
D27576	<input type="checkbox"/>					
	Head support F with cheek support					460,-
D21027	<input type="checkbox"/>					
	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm (not for Savant or Dynamic C head support)					90,-
D21028	<input type="checkbox"/>					
	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm (not for Savant or Dynamic C head support)					100,-
D21054	<input type="checkbox"/>					
	Headrest adjustment tube (vertical) + 100 mm, length 500 mm (not for Savant or Dynamic C head support)					90,-
D23004	<input type="checkbox"/>					
	Comfort cushion for head rest type C – removable with Mars cover					180,-
D23012	<input type="checkbox"/>					
	Easy Care cover for head rest type A, B, C – removable					90,-
D23013	<input type="checkbox"/>					
	3D cover for head rest type A, B, C – removable					90,-
D23015	<input type="checkbox"/>					
	Grey head rest cushion with Mars cover					230,-



D45372	<input type="checkbox"/>	[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request
D45374	<input type="checkbox"/>	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price on request

D45373	<input type="checkbox"/>	[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price on request
D45375	<input type="checkbox"/>	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	Price on request
D45368	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D45376	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D89558	<input type="checkbox"/>	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request
D89559	<input type="checkbox"/>	Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional Netti head support)	Price on request

TRAYS

D21059	<input type="checkbox"/>	Universal tray for SW 350 - 500 mm (for SW 500 and arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm, please choose tray D21063)	225,-
D21063	<input type="checkbox"/>	Universal tray for SW 550 mm (necessary for SW 500 with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	280,-
D21050	<input type="checkbox"/>	Tray reinforced for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	380,-
D24001	<input type="checkbox"/>	Tray swingable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	260,-
D93316	<input type="checkbox"/>	Tray spacer for swingable tray (necessary if a tray is combined with soft upholstery for armpads D41649/D41650)	29,-
D24002	<input type="checkbox"/>	Tray lockable for SW 350-500 mm (not possible for SW 500 if combined with arm pads D21077, D21079 or D21927 or SW 500 adjusted to SW 550 mm)	260,-
D93315	<input type="checkbox"/>	Tray spacer for lockable tray (necessary if a tray is combined with soft upholstery for armpads D41649/D41650)	19,-
D21052	<input type="checkbox"/>	Upholstery for tray	120,-
D53006*	<input type="checkbox"/>	Half tray, upholstered, left	431,-
D53005*	<input type="checkbox"/>	Half tray, upholstered, right	431,-

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 10 of 14

*option available in Q1 2024 | Version 2023-11

VARIOUS ACCESSORIES

D21087	<input type="checkbox"/>	Clinic-kit – tool kit and tools for angle adjustable foot supports	120,-
D21239	<input type="checkbox"/>	Tool kit	100,-
D41987	<input type="checkbox"/>	Intravenous rack	320,-


BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit

Mounting material	[A]	[B]	[C]	[D]	[E]
D25845*	<input type="checkbox"/>	Hip belt, with upholstery and car belt lock incl. mounting material [A]			130,-
		Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting material[B]			280,-
D56902*	<input type="checkbox"/>	XS (overall pad length: 380 mm)			
D56891*	<input type="checkbox"/>	M (overall pad length: 460 mm)			
D56892*	<input type="checkbox"/>	L (overall pad length: 620 mm)			
		Bodypoint 2-point hip belt incl. mouting material[E]			252,-
D55273*	<input type="checkbox"/>	XS (overall pad length: 360 mm)			
D55274*	<input type="checkbox"/>	S (overall pad length: 400 mm)			
D55275*	<input type="checkbox"/>	M (overall pad length: 460 mm)			
D45040	<input type="checkbox"/>	Security cover for type [B], [C] and [E] in XS/M/L			70,-
D55276*	<input type="checkbox"/>	Bodypoint 2-point pelvic stabiliser for SW 550-650 mm incl. mounting material (overall pad length: 820 mm) [E]			368,-
		Bodypoint 4-point pelvic stabiliser incl. mounting material [C]			423,-
D56889*	<input type="checkbox"/>	XS (overall pad length 360 mm)			
D56893*	<input type="checkbox"/>	M (overall pad length: 460 mm)			
D56894*	<input type="checkbox"/>	L (overall pad length: 620 mm)			
D60001	<input type="checkbox"/>	Abduction belt [D]			530,-
		Bodypoint supportive universal elastic strap			180,-
D45084	<input type="checkbox"/>	S (Height 80 mm - 1420 mm long, easily cut-to-length)			
D45085	<input type="checkbox"/>	L (Height 110 mm - 1420 mm long, easily cut-to-length)			
D45086	<input type="checkbox"/>	XL (Height 150 mm - 1420 mm long, easily cut-to-length)			



Belts and accessories for back unit



[A]



[B]



[C]



[D]



[E]

D53890*	<input type="checkbox"/>	H-harness adaptor kit (recommended for all upper body harnesses) [A]	326,-
D20881	<input type="checkbox"/>	H-belt, with upholstery and car belt lock [B]	250,-
D41645	<input type="checkbox"/>	Belt cross harness [C]	190,-
		Bodypoint Stayflex chest support without zipper [D]	261,-
D89805	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D89898	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86895	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86896	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	
		Bodypoint Pivofit shoulder harness [E]	261,-
D89802	<input type="checkbox"/>	XS (Shoulder width 240-280 mm)	
D89803	<input type="checkbox"/>	S (Shoulder width 280-330 mm)	
D86898	<input type="checkbox"/>	M (Shoulder width 330-410 mm)	
D86899	<input type="checkbox"/>	L (Shoulder width 410-480 mm)	

NETTI CUSTOMIZED

Netti has many years of experience in developing customized solutions. Feel free to contact us for a quote concerning your individual solution.

CUSTOM MADE – most wanted special adapted items (price on request)



A





B

<input type="checkbox"/>	Extra long calf supports (please state length) (A)
<input type="checkbox"/>	Calf support upholstery in special length or material
<input type="checkbox"/>	Back cushion with special side support (see drawing page 9) (B)
<input type="checkbox"/>	Pushhandles with special length or angle
<input type="checkbox"/>	Footboard that swings horizontally forwards

Please describe your current case and how a possible solution could look. If you have any picture or video material, we would also like to see this. To offer the best solution, please describe the user in the best possible way, e.g. such as any given diagnosis, user weight and/or the exact pattern movement of the user.

User weight:

Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.





Please inform us if there are any special circumstances in the living area that has an influence for the chair:
e.g. the total possible width _____ mm and length _____ mm of the chair.

TECHNICAL DATA

Tilt (seat)	-3° to +30°
Recline (back)	90° to 125°
Total width of the wheelchair	Seat width + 190 mm
Total length	1000 - 1200 mm with leg rests vertical and seat horizontal
Distance arm support to seat plate	Min: 185 mm/ max. 325 mm
Weight of wheelchair	App. 32 kg (without cushion)
Frame colour	Turquoise
Cover variants	Stretchable & flexible cover 3D Easy Care antibacterial cover, washable
Max. capacity	136 kg
Crash test	ISO 7176-19 (136 kg)

Leg rests	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width	_____ mm
B Thigh length / seat depth	_____ mm
C Arm rest height	_____ mm
D Leg length / seat height	_____ mm
E Backrest height	_____ mm
F Trunk width	_____ mm

NORWAY: Alu Rehab AS | Bedriftsvegen 23 | N-4353 Klepp stasjon | post.klepp@Meyragroup.com | Phone +47 51 78 62 20
DENMARK: Alu Rehab ApS | Kløftehøj 8 | DK-8680 Ry | info.ry@Meyragroup.com | Phone +45 87887300

All prices are list prices excl. VAT | Right for changes reserved | Valid until a new pricelist is published | Page 14 of 14

*option available in Q1 2024 | Version 2023-11